Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	"6064671"	USPAT	OR	OFF	2005/08/05 12:54
L2	2859	udp same tcp	USPAT	OR	OFF	2005/08/05 12:54
L3	2	l1 and l2	USPAT	OR	OFF	2005/08/05 12:56
L4	1	confirmation and l3	USPAT	OR	OFF	2005/08/05 13:02
L5	4	confirmation and l1	USPAT	OR	OFF	2005/08/05 13:05
L6	1	((check$3 or confirm or poll$3 or analyze) near message) with ((allocat$3 or open or deallocat$3 or clos$3) near socket$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:13
L7	3	((check$3 or confirm or poll$3 or analyze) near message) same ((allocat$3 or open or deallocat$3 or clos$3) near socket$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:16
L8	3	"2001056760"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:14
L9	57	((check$3 or confirm or poll$3 or analyze) near message) same ((allocat$3 or open or deallocat$3 or clos$3) near (socket$1 or channel or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:16
L10	38	l9 and @ad < "20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:17
L12	0	((first near protocol) with (second near protocol)) same ((allocat$3 or deallocat$3 or open or close) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:31
L13	0	((first near protocol) same (second near protocol)) same ((allocat$3 or deallocat$3 or open or close) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:31

L14	2615	((first near protocol) same (second near protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:31
L15	26	l14 and ((allocat$3 or deallocat$3 or open or close) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:42
L16	11	l15 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:31
L17	216	l14 and ((allocat$3 or deallocat$3 or open or close) near (resource or channel or port or socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:49
L18	7	l17 and (confirm$5 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 13:44
L19	0	("2002/0087704").URPN.	USPAT	OR	ON	2005/08/05 13:47
L20	99	l17 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:18
L21	1992	plurality near protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:19
L22	0	(plurality near protocol) same ((allocat$3 or deallocat$3 or open or close) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:19
L23	51	(tcp same udp) same ((allocat$3 or deallocat$3 or open or close) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:20
L24	23	l23 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:29

L25	15	"6119170"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:33
L26	8	(check$3 or analyz$3) with ((fail$3 or idle) near socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:40
L27	360	(check$3 or analyz$3) with ((fail$3 or idle) near (socket or channel or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:41
L28	275	l27 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:41
L29	2	l28 and (confirm$5 near status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:42
L30	3	l28 and (confirm$5 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:43
L31	1	l28 and (udp same tcp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:45
L32	2	l28 and ((first near protocol) same (second near protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:52
L33	8	"6122671"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:52
L34	4	(allocat$3 or open or close or deallocat$3) and l33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:53

L35	1	((allocat$3 or open or close or deallocat$3) near socket) and I33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 14:53